

Fig. 1

2/17




Fig. 2A




Fig. 2B




Fig. 2C

3/17




Fig. 3

4/17




Fig. 4

5/17




Fig. 5

6/17




Fig. 6

7/17




Fig. 7

8/17

Given t_{sp} (where $t_{sp} < 0$) and given T , find $g(t_{sp})$:

Step 1: Solve for X_{sp}

$$t_{sp} = -L \cdot \frac{\sum_{X_{sp}}^0 F(X) \Delta X}{\sum_{100\%}^0 F(X) \Delta X}$$

Step 2: Solve for K_a

$$K_a = \frac{T}{L} \cdot \sum_{100\%}^0 F(X) \Delta X$$

Step 3: Solve for δ

$$\sum_{X_{sp} - \frac{\delta}{2}}^{X_{sp} + \frac{\delta}{2}} F(X) \Delta X = K_a$$

Step 4: Correct for non-linearity

$$r(t_{sp}) = \frac{100\%}{100\% - X_{sp}} \cdot \delta$$

Step 5: Solve for K_b

$$K_b = \frac{K_{rate}}{T}$$

Step 6: Solve for $g(t_{sp})$

$$g(t_{sp}) = K_b \cdot r(t_{sp})$$

Where

$$K_{rate} = 10^8 \frac{mg \cdot s}{dL \cdot \%}$$

Fig. 8

9/17

Given t_{sp} (where $t_{sp} < 0$) and given δ , find $g(t_{sp})$:

Step 1: Solve for X_{sp}

$$t_{sp} = -L \cdot \frac{\sum_{X_{sp}}^0 F(X) \Delta X}{\sum_{100\%}^0 F(X) \Delta X}$$

Step 2: Solve for K_a

$$\sum_{X_{sp} - \frac{\delta}{2}}^{X_{sp} + \frac{\delta}{2}} F(X) \Delta X = K_a$$

Step 3: Solve for T

$$T = \frac{K_a \cdot L}{\sum_{100\%}^0 F(X) \Delta X}$$

Step 4: Correct for non-linearity

$$r(t_{sp}) = \frac{100\%}{100\% - X_{sp}} \cdot \delta$$

Step 5: Solve for K_b

$$K_b = \frac{K_{rate}}{T}$$

Step 6: Solve for $g(t_{sp})$

$$g(t_{sp}) = K_b \cdot r(t_{sp})$$

Where

$$K_{rate} = 10^8 \frac{mg \cdot s}{dL \cdot \%}$$

Fig. 9

10/17




Fig. 10A

11/17

Given δ_1 - δ_m and K_{a1} - K_{am} , find t_{sp} and $g(t_{sp})$:

Step 1: Solve for t_{sp}

$$t_{sp} = -L \cdot \frac{\frac{K_{sp}}{2} + \sum_{n=sp-1}^1 K_{an}}{\sum_{n=m}^1 K_{an}}$$

Step 2: Solve for X_{sp}

$$X_{sp} = \frac{\delta_{sp}}{2} + \sum_{n=sp-1}^1 \delta_n$$

Step 3: Solve for T_{sp}

$$T_{sp} = \frac{K_{asp}}{\sum_{n=m}^1 K_{an}} \cdot L$$

Step 4: Correct for non-linearity

$$r(t_{sp}) = \frac{100\%}{100\% - X_{sp}} \cdot \delta_{sp}$$

Step 5: Solve for K_b

$$K_{bsp} = \frac{K_{rate}}{T_{sp}}$$

Step 6: Solve for $g(t_{sp})$

$$g(t_{sp}) = K_{bsp} \cdot r(t_{sp})$$

Where

$$K_{rate} = 10^8 \frac{mg \cdot s}{dL \cdot \%}$$

Fig. 10B

12/17




Fig. 11A




Fig. 11B




Fig. 11C

13/17




Fig. 12A




Fig. 12B




Fig. 12C

14/17




Fig. 13A




Fig. 13B

15/17




Fig. 14

16/17




Fig. 15

17/17




Fig. 16